

19"

SERVER RACK



A PROFESSIONAL 19" DIY/ASSEMBLED CABINET

Easy to assemble and disassemble

Easy to carry and move

Cutting shipping cost


Help maximize space in warehouses

OPTIONAL PARTS

2U PLATE DRAWER



1U PLATE DRAWER



FIXED SHELF



2U PLATE



4U DRAWER




1U CABLE DUCT




BIANK PANEL



FIXED SHELF WITH 2BRACE



1U COOLING FAN



19" SERVER

K/D [knocked-down] Server









FEATURES

- Meet ANSI / EIA RS-310-C,D,E,F , ETSI/IEC-297-3 regulations, UL and CE approvals, also the MIL-STD-167 vibration test is compatible perfectly.
- Max. static load : 1014kgw
(tested by SGS, Report No : HLO0195B/2004)
- Easy setup and disassemble
- Die-cast heavy duty aluminum post frame
- Side panels, top, bottom plates of SPCC high-quality cold rolled steel
- Plexiglass front door , ventilate Rear door W/lock
- Removable side, front and rear doors
- Adjustable Aluminum mounting angle



ASSEMBLE GUIDE



RACK

Racks ship more to a container

MATERIAL

- Die-cast heavy duty aluminum post frame
- Side panels, top cover, bottom plates of SPCC high-quality cold roll steel

INSTALLATION DIMENSION

- Height (External) : 15 HU / 20 HU / 25 HU / 30 HU / 35 HU / 41HU / 42HU
{1 HU (or 1U) = 44.45 mm}
- Depth (External) : 615 / 750 / 900mm
- Width (installed) : 482 mm (19" design, External Width: 600mm)

l steel.

19" SERVER RACK

STANDARD SIZE & PACKING INFO.

19" Server Rack Standard W(external) = 600 Unit=mm

Standard Size					Packing info. for Container		
Model No.	H(internal)	H(internal)	D(internal)	D(external)	Q'ty/20' CTR	Q'ty/40' CTR	
15U	SJF-15-615	667	747	529	615	100	223
20U	SJF-20-615	889	969	529	615	89	220
25U	SJF-25-615	1111	1191	529	615	80	179
30U	SJF-30-615	1334	1414	529	615	72	163
35U	SJF-35-615	1556	1636	529	615	66	149
41U	SJF-41-615	1822	1902	529	615	60	135
15U	SJF-15-750	667	747	664	750	88	197
20U	SJF-20-750	889	969	664	750	78	176
25U	SJF-25-750	1111	1191	664	750	69	155
30U	SJF-30-750	1334	1414	664	750	64	144
35U	SJF-35-750	1556	1636	664	750	59	133
41U	SJF-41-750	1822	1902	664	750	54	121
15U	SJF-15-900	667	747	814	900	76	172
20U	SJF-20-900	889	969	814	900	64	144
25U	SJF-25-900	1111	1191	814	900	63	141
30U	SJF-30-900	1334	1414	814	900	57	127
35U	SJF-35-900	1556	1636	814	900	53	119
41U	SJF-41-900	1822	1902	814	900	48	103



FOUR BOXES FOR ONE KIT PACK RACKS