

Accessories of 19" Cabinet Rack

19吋組合架附屬配件


<p>1U 軌跡球式鍵盤盒 1U Trackball KB-Drawer</p> 	<p>1U 觸控式鍵盤盒 1U Touchpad KB-Drawer</p> 	<p>1U 8Port 電腦切換器 1U 8Port KVM Switch</p> 	<p>4U 抽屜 4U Box Drawer</p> 
<p>密碼鎖 Combination Lock</p> 	<p>上抽式風扇 Top Cover W/Fan</p> 	<p>1U 散熱風扇組 9 Fan 1U Cooling Fan Set</p> 	<p>3U 前/後置並用型風扇組 3U AC Fan Motor Unit</p> 
<p>6孔排插 (塑膠) 6-way Power Strip</p> 	<p>彈片螺母 Catch Nut</p> 	<p>8孔/10孔排插 (110V/220V) 8-way / 10-way Power Strip</p> 	<p>11U 溫控機箱 1U Temperature Sensor</p> 
<p>空白面板(1-6U) Blank Panel</p> 	<p>1U Server 支架支撐板 1U Fixed Shelf</p> 	<p>1U L型支架支撐板 1U Support Plate Set</p> 	<p>1U 抽拉板 1U Plate Drawer</p> 
<p>2U 抽拉板 2U Plate Drawer</p> 	<p>2U 承板 2U Plate</p> 	<p>1U 水平理線架 1U Level Cable Duct</p> 	<p>直角連接件 Baying Kit</p> 
<p>垂直理線槽 Vertical Cable Duct</p> 	<p>1U 走線面板 1U Cable Collector Panel</p> 	<p>安定腳 Anchor</p> 	<p>理線盤 Cable Tray</p> 



JAUNTY-FABRICATOR ENT. IND. CO., LTD.
 NO. 8, LANE 8, CHENGTAI RD., SEC. 1, WUGU HSIANG,
 TAIPEI 248, TAIWAN
 Tel : +886-2-22960531 Fax : +886-2-22960532
 E-mail : julise@ms36.hinet.net Web Site: www.datarack.com.tw



GR63






ULTRA ENHANCE

STANDARD

CABINET RACK 儀器組合架



19" Standard Rack





19" Standard Rack

JF儀器組合架系列是依據ANSI/EIA RS-310-C,D,E,F，19吋/ETSI/及IEC-297-3公制之標準規範製造，通過UL及CE,耐震測試MIL-STD-167、MIL-STD-810、GR63、ROH5、七級地震認證，其鋁柱之圓弧造型，再於機架串聯時更能達到所需功能，且更易於組裝，特殊設計，可廣泛應用於監視機房、電子、電腦機房、通訊資訊、衛星地面台、捷運系統監視機房、電視台、CTI 語音查詢系統、自動控制系統、網路設備、數據機房、醫療器材、CO-LOCATION、IDC....

JF Rack Cabinet is professional for Intranet Office Networking system, Computer Supervising System, ISP and other telecommunication equipment.

Compatible with ANSI / EIA RS-310C regulations, UL and CE approvals, also the MIL-STD-167、MIL-STD-810、GR63、ROH5 vibration test is compatible perfectly.


JF系列特點 (JF Feature)

- 機架前後可裝設壓克力門、鋁門、強化玻璃門或蜂巢式通風孔門，另側板可裝可拆式側板，或安裝開閉式門組，四面皆可拆卸以利機架之維修或多部機架串聯。
A choice of a perforated, tempered glass door or an acrylic door is available for both the front and rear of the rack.
- 機架之活動鋁柱：為可前後移動之方式，可因設備之把手，不同跳接線材之旋轉需求，而任意作無段式移動。
Flexible vertical rails can be set at the front or back of the rack to meet the actual terminal wiring needs.
- 為配合儀器架內線路使用空間，標準型機架，機箱寬度加寬至（600mm），加寬型機架加寬至（800mm），而內部活動鋁柱則維持19寬度不變，且兩者之活動鋁柱可依需求作前後及左右調整。
The 19" Standard rack has a width of 600 mm. For intranet office networking systems that need a larger size, the 800mm 19" Extra-wide rack is available. Both of the units maintain 19" standard size.
- 機架本身採組合式之鋁擠型鋁柱或實心圓角三向接頭而成，其材質為AL6063T5，下方可加裝煞車輪及地平螺絲，上蓋板上加裝靜音風扇組，使內部設備達到真正循環作用，散熱快。
The main vertical rails of the rack are made with squeeze-cast aluminum pillars. The device can be set Castor or on a floor stand. Catch Nuts installed in the main vertical rails allow users to adjust the unit up or down according to the position of the rack-mount chassis. Top cover with fan unit to help the ventilation of equipment.
- 各門組皆附有隱藏式門鎖，前後門框開閉角度為115度，內部支架可內縮，採層極處理或粉體烤漆。
A hidden key lock or combination lock is optional for the rack.
- 機架全部採熱硬化粉體塗裝以防設備刮傷、氧化，可抗強酸、強鹼，延長設備壽命或採靜電液塗裝烤漆。
This rack is powder coated to fight against rust, oxidation, scrapes, acids, alkali erosion, and lacquer peeling. An acrylic front door with a lock and a 6-way socket strip with 30 set panel screws come standard.9
- 機架前後門、側門及上、下框，外觀上均無螺絲、螺帽零件，整齊美觀，機架之框架結構能承受1000公斤以上重量，不變形且不影响結構安全。
The side panel and door can be easily assembled and disassembled without any additional tools. The frame of both units can bear loads above 1000kgs and not bend out of shape
- 所有符合ANSI/EIA規格均可安裝
All accessories that meet ANSI /EIA RS-310-C standards can be used with the Jaunty-Fabricator 19" Cabinet Rack.



A





1U=1.75英吋(inch)=44.45mm 外高不含輪高
(H1 Without Caster Height)

19吋(外寬600)及23吋(外寬700) 規格尺寸
19" (WO=600)& 23" (WO=700) Standard Size

(Standard Size)規格 / 尺寸	H0/內高	H1/外高	D0/內深	D1/外深
JF-15-615	667	747	529	615
JF-20-615	889	969	529	615
JF-25-615	1111	1191	529	615
JF-30-615	1334	1414	529	615
JF-35-615	1556	1636	529	615
JF-41-615	1822	1902	529	615
JF-15-750	667	747	664	750
JF-20-750	889	969	664	750
JF-25-750	1111	1191	664	750
JF-30-750	1334	1414	664	750
JF-35-750	1556	1636	664	750
JF-41-750	1822	1902	664	750
JF-15-900	667	747	814	900
JF-20-900	889	969	814	900
JF-25-900	1111	1191	814	900
JF-30-900	1334	1414	814	900
JF-35-900	1556	1636	814	900
JF-41-900	1822	1902	814	900
JF-41-1000	1822	1902	914	1000
JF-41-1100	1822	1902	1014	1100
JF-42-900	1867	1947	814	900
JF-42-1000	1867	1947	914	1000
JF-42-1100	1867	1947	1014	1100



豪華鎖(選購)
Luxurious Lock (Optional)



密碼鎖(選購)
Combination Lock (Optional)



Model No

型號說明:

Model 型號: JF - 15 - 615 - A - F - B

※採購時請註明型號

Please make clear for your Model No.

● - Black
● - White